

**(12) PATENT**  
**(19) AUSTRALIAN PATENT OFFICE**

**(11) Application No. AU 199743839 B2**  
**(10) Patent No. 730982**

**(54) Title**  
**Liquid compositions comprising stability enhancing surfactants and a method of enhancing low temperature stability thereof**

**(51)<sup>7</sup> International Patent Classification(s)**  
**A61K 007/50**

**(21) Application No: 199743839**

**(22) Application Date: 1997.09.04**

**(87) WIPO No: WO98/13022**

**(30) Priority Data**

<b>(31) Number</b>	<b>(32) Date</b>	<b>(33) Country</b>
<b>60/026652</b>	<b>1996.09.24</b>	<b>US</b>
<b>60/026650</b>	<b>1996.09.24</b>	<b>US</b>

**(43) Publication Date : 1998.05.29**

**(43) Publication Journal Date : 1998.07.23**

**(44) Accepted Journal Date : 2001.03.22**

**(71) Applicant(s)**  
**Unilever PLC**

**(72) Inventor(s)**  
**Sudhakar Puvvada; Richard Kolodziej; May Shana'a**

**(74) Agent/Attorney**  
**DAVIES COLLISON CAVE,GPO Box 3876,SYDNEY NSW 2001**

**(56) Related Art**  
**US 5409840**  
**AU 67373/96**  
**US 5478490**

- 20 -

The Claims defining the invention are as follows:

1. A lamellar structured liquid cleansing composition comprising 5% to 50% of a surfactant system comprising:
  - a) anionic or mixture of anionic surfactants; and
  - b) an amphoteric and/or zwitterionic surfactant or mixture thereof;wherein alkalimetal alkylamphoacetate comprises 25% to 90% of component (b); and
- 10 c) a structurant selected from liquid fatty acids comprising oleic acid, isostearic acid, linoleic acid, ricinoleic acid, elaidic acid, arichodonic acid, myristoleic acid, palmitoleic acid and mixtures thereof, or
- 15 polyalkylene glycol fatty acid esters comprising propylene glycol isostearate, propylene glycol oleate, glyceryl isostearate, glyceryl oleate, polyglyceryl diisostearate, and mixtures thereof.
- 20 2. A composition according to Claim 1 wherein alkalimetal alkylamphoacetate comprises 30 to 90% of component (b).
3. A composition according to Claim 2, wherein alkalimetal alkylamphoacetate comprises 40% to 90% of components (b).
- 25 4. A composition according to Claim 1, wherein the anionic surfactant is selected from the group consisting of alkyl sulfates, acyl isethionates and mixtures thereof.
- 30 5. A composition according to Claim 1, wherein component (b) comprises 0.1% to 25% betaine.



- 21 -

6. A composition according to Claim 1, wherein the composition additionally comprises 0% to 10% of nonionic surfactant.
- 5 7. A method of enhancing low temperature stability of a lamellar structured cleansing composition as claimed in Claim 1 wherein said method comprises selecting the amphoteric and/or zwitterionic surfactant component (b) such that alkalimetal alkyl amphotoacetate comprises 25% to 90% of component (b).
- 10 8. A method according to Claim 7, wherein alkalimetal alkylamphoacetate comprises 30% to 90% of component (b).
- 15 9. A method according to Claim 8, wherein alkali metal alkylamphoacetate comprises 40% to 90% of component (b).
10. A method according to any one of Claims 7 to 9 wherein the lamellar structured liquid cleansing composition
- 20 comprises one or more of the components of Claims 4 to 6.
11. A composition as hereinbefore described with reference to the examples.

DATED THIS 22nd day of November, 2000.

UNILEVER PLC

By Its Patent Attorneys  
DAVIES COLLISON CAVE

